

INSTALLATION SPECIFICATIONS & INFORMATION 1997

Proper Location of Sunroof

Determine the front to back position of the sunroof by placing the template inside the vehicle and determining the best possible position on the headliner. Transfer this position to the outside roof skin by dimpling the roof with an awl poked through the template at least 4 inches within the cut out area. Establish the vehicle center line by measuring side to side on the vehicle and dividing by two. Center the template on this line using the dimple to establish the front to back position. The depth measurements given in this guide are from where the windshield meets the interior trim at the inside center of the vehicle. These specifications are intended to be guidelines only. Car manufacturers may change specifications without notice.

SFC and CRL do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. It is the installer s responsibility to check and verify each application before beginning the installation.

**All Measurements Are Taken From The Interior And Are Shown With
An Accuracy of +/- 1 Inch**

Interior Trim Ring Selection

The selection of the proper trim ring reflects an installer s choice, technique and ability. The T5 & T6 trim rings are universal and can be adapted to a variety of headliner thicknesses. Adapting the ring to the desired configuration is shown on the installation instructions provided with the sunroof. The objective is to create a stack dimension which will firmly squeeze the sealant, steel roof top, shim and headliner together. (Approx. 7/8 Inch) If a trim ring other than the one pre-assembled to your sunroof is used, be sure to pre-assemble this new ring to the frame for easier installation.

NOTE	EXPLANATION OF NOTES
D	It is necessary to move the domelight. In most cases, you may reuse the original mounting bow or a section of it. Make sure that this mounting bow is grounded if it had been used as a ground in its original installation. Always remove the domelight fuse before cutting to prevent an electrical short.
B	A roof bow must be moved, removed or modified in order to properly place the sunroof. The portion of the bow at the edge of the sunroof installation must be trimmed to allow a one inch space between the edge of the sunroof and the cut end of the bow. This allows for proper shimming and a better finished product.
Ds	A double steel roof is indicated by this symbol. Be aware of this factor when cutting the vehicle s roof and when determining the trim ring that you use.
W	A wrapped headliner installation is recommended by this note. This may allow a closer fit to the side rails or the header of the vehicle and will give any vehicle an OEM appearance.
F	A Newport 1828 (non DCS) sunroof is recommended for this application. This version of the NP1828 is not dual contoured and fits better in vehicles with flatter roofs.
Consoles	Many vehicles, especially with higher trim level options, have overhead consoles. Modifications to this console may be required to install sunroofs in these vehicles. SFC Sunroofs does not provide exact specifications for this modification. Each vehicle may require a customized installation.
Δ	This sunroof will fit in the vehicle listed. It will require expert installation and placement to assure a proper fit. Because of the intricacies of this installation, a setback measurement or notes may not be given.

1997 Sunroof Application Guide

Printed in the USA
Unauthorized Reproduction
of this Material is Prohibited

SFC and CRL do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation.
Further information is available in our Instructions and Troubleshooting Guide.

1997	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
ACURA											
CL	All Inspected Vehicles Have Factory Installed Sunroofs										
Integra	9	9		9		9	12,D,B	10,D,B		11,D,B	
RL	All Inspected Vehicles Have Factory Installed Sunroofs										
SLX	12,B	11,B		12,B		15,D,B	14,D,B	12,D,B		13,D,B	
TL	10	10		10		13,D,B	12,D,B	10,D,B		11,D,B	
AUDI											
A4		10,B		10,B		10,B	10,B	10,B		11,B	
A6	10	10	10	10		10	10,F	10		11	
A6 Wagon	10	10	10	10		10	10,F	10		11	
A8	All Inspected Vehicles Have Factory Installed Sunroofs										
BMW											
All Inspected Vehicles Have Factory Installed Sunroofs											
BUICK											
Century	12,B	12,B		12,B		12,B	11,B	15,D,B		15,D,B	
Le Sabre	12,B	12,B	12,B	12,B	12,B	12,B	12,B	12,B		12,B	
Park Avenue		13,B		13,B		13,B	13,B	13,B		13,B	
Regal	11,B	11,B		11,B		11,B	10,B	15,D,B		15,D,B	
Riviera				14		14	14	14		15	
Skylark							13,B,F				
CADILLAC											
All except Catera						12,B	12,B,F	12,B		12,B	
Catera				10,B		10,B	12,B,F	10,B		12,B	
CHEVROLET											
Astro Van	Δ			Δ							flatten ribs, console
Blazer	9	9	9	9	9	9	9	8,W,Δ		8,Δ	console
C/K Series Crew Cab	9	9	9	9	9	9	9	9	6.5		flatten ribs
C/K Series Extended Cab	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	8,Δ,Ds		8,Δ,Ds	console
C/K Series Standard Cab	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	8,Δ,Ds		8,Δ,Ds	console
Camaro	No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!										
Cavalier 2 Dr		9,D				9,D	9,D	9,D		10,D	
Cavalier 4 Dr							10,D				wide side rails
Express Van					Δ						flatten ribs
Lumina	9	8	14,D,B	9	14,D,B	14,D,B	11,D,B	10,D,B		10,D,B	
Malibu 4 Dr		14,D,B		15,D,B		12,D,B	11,D,B	10,D,B		10,D,B	
Monte Carlo		7,B		7,B		6,B	12,D,B	12,D,B		12,D,B	
S-10 Pickup Extended Cab	9	9	9	9	9	9	9	9,B	9,B,W	9,B	
S-10 Pickup Standard Cab	9	9	9	9	9	9	9	8,W,Δ		8,Δ	
Suburban	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds		11,Ds	console
Tahoe	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	8,Δ,Ds		8,Δ,Ds	console
Tahoe 4 Dr	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		11,Ds	console
Venture								11,B		11,B	console
CHRYSLER											
Cirrus	9	9		9		13,D,B	12,D,B	10,D,B		11,D,B	
Concorde		12		12		12	12,B	12,B		12,B	large rear bow
LHS		12		12		12	12,B	12,B		12,B	large rear bow
Sebring		12,B		12,B		12,B	12,B	12,B		13,B	
Town & Country Van	10,B	10,B		10,B	10,B	10,B	10,B	10,B		10,B	console
DODGE											
Avenger		12,B		12,B		12,B	12,B	12,B		13,B	
Caravan	10,B	10,B		10,B	10,B	10,B	10,B	10,B		10,B	console
Dakota Pickup Ext Cab	10	10		10	10	10					console
Dakota Pickup Std Cab	10	10		10	10	10					
Full Sized Ram Van	12	12			12			12			
Intrepid		12		12		12	12,B	12,B		12,B	large rear bow
Neon		9.5,D		9.5,D		9.5,D,B	9.5,D,B	9.5,D,B		9.5,D,B	
Ram Pickup Extended Cab	14.5,Ds	14.5,Ds		14.5,Ds	14.5,Ds						
Ram Pickup Standard Cab	14.5,Ds	14.5,Ds		14.5,Ds	14.5,Ds						
Stealth		10.5		10.5		10.5	10.5	10.5,Δ		Δ	
Stratus	9	9		9		13,D,B	12,D,B	10,D,B		11,D,B	

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation.
Further information is available in our Instructions and Troubleshooting Guide.

D=Move Domelight
Δ=Difficult Installation (Tight Fit)

B=Roof Bow

Ds=Double Steel Roof

W=Wrapped Install Recommended

F=Single Contour 1828 Only

Console=Console Modification Required w/some trim packages

1997	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
EAGLE											
Talon	11	11		11		11	11	11		11	
Vision		12		12		12	12,B	12,B		12,B	large rear bow
FORD											
Aerostar				12							fill roof ridges
Aspire		8,D,B		8,D,B		8,D,B	8,D,B	8,D,B		8,D,B	
Contour		10,B		8,B		10,B	10,B	10,B		10,B	
Crown Victoria	9,B		13,D,B	9,B	14,D,B	13,D,B	12,D,B	10,D,B		10,D,B	
Econoline Van	10,D			10,D	10,D						fill roof ridges
Escort		8		8		12,D,B	11,D,B	10,D,B		12,D,B	
Escort Wagon				8							
Expedition	11,B	11,B		11,B		13,D,B	12,D,B	11,D,B		12,D,B	ribs, console
Explorer	10	10		10		10	10	10		10	ribs, console
F-Series Crew Cab			Δ		Δ						flatten ribs
F-Series Extended Cab	10	10		10	10	10	11	10		11	
F-Series Standard Cab	10,B	10,B		10,B	10,B	10,B	10,D,B,F	10,D,B		10,D,B	
Mustang							9,D,B	9,D,B		10,D,B	
Probe	9,B	9,B		9,B		9,B	9,B	9,B		9,B	
Ranger Extended Cab	10,B	10,B	14,D,B	10,B	10,B	10,B	13,D,B	11,D,B	10,D,B	12,D,B	
Ranger Standard Cab	10	10		10	10	10					
Taurus		9		10		12,D,B	10,D,B	10,D,B		12,D,B	
Taurus Wagon		10		10		9,D,B					
Thunderbird	10,D,B	10,D,B		10,D,B		10,D,B	10,D,B	10,D,B		11,D,B	
Windstar Van	10	10		10		10	12,D,B	11,D,B		11,D,B	
GEO											
Metro 4 Dr		9					12,D,B				
Metro 3 Dr		9					11				
Prizm		10		10		10	8	10,D,B		10,B	
Tracker		10		10		10		12,D,B		12,D,B	ribbed roof
GMC											
C/K Series Crew Cab	9	9	9	9	9	9	9	9	6.5		flatten ribs
C/K Series Extended Cab	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	8,Δ,Ds		8,Δ,Ds	
C/K Series Standard Cab	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	8,Δ,Ds		8,Δ,Ds	
Jimmy	9	9	9	9	9	9	9	8,W,Δ		8,Δ	console
Jimmy 4 Dr	9	9	9	9	9	9	9	8,W,Δ		8,Δ	console
Safari	Δ			Δ							
Savana Van					Δ						flatten ribs
Sonoma Pickup Extended Cab	9	9	9	9	9	9	9	9,B	9,B,W	9,B	
Sonoma Pickup Standard Cab	9	9	9	9	9	9	9	8,W,Δ		8,Δ	
Suburban	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds	11,Ds		11,Ds	console
Yukon	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	9,Ds	8,Δ,Ds		8,Δ,Ds	console
Yukon 4 Dr	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		11,Ds	console
HONDA											
Accord		12,D,B		13,D,B		10,D,B	10,D,B	10,D,B		10,D,B	
Accord Wagon		9,B		9,B		9,B					
Civic 2 Dr, 3 Dr	10,B	10,B		10,B		9,B	8,B	9,D,B		10,D,B	
Civic 4 Dr	9,B	9,B		9,B		12,D,B	11,D,B	9,D,B		10,D,B	
CRV	11,B	11,B		11,B		11,B	11,B	11,B		11,B	
Del Sol	All Inspected Vehicles Have a Removable Roof Panel										
EV		12		12		15,D,B	14,D,B	12,D,B		13,D,B	
Odyssey	9,D,B	9,D,B		9,D,B		9,D,B					
Passport	8,B	8,B		8,B		8,B	8,B	8,B		9,B	
Prelude	All Inspected Vehicles Have Factory Installed Sunroofs										
HYUNDAI											
Accent		9		9		7	13,D,B	11,D,B		11,D,B	
Elantra		9		9		7	13,D,B	11,D,B		11,D,B	
Elantra Wagon	No Sunroof Recommended Due to Multi-level Roof										
Sonata	9,B	9,B		9,B		9,B	9,B	13,D,B		13,D,B	
Tiburon		8		9		12,D,B	11,D,B	9,D,B		10,D,B	
INFINITI											
I30, J30, Q45	All Inspected Vehicles Have Factory Installed Sunroofs										
QX4	15,B	15,B		15,B		15,B					

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.

1997	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment	
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes		
ISUZU												
Hombre Pickup	9	9	9	9	9	9	9	8,W,Δ		8,Δ		
Oasis	9,D,B	9,D,B		9,D,B		9,D,B	9,D,B	9,D,B		10,D,B		
Rodeo	8,B	8,B		8,B		8,B	8,B	8,B		9,B		
Space Cab Pickup	9	9	9	9	9			8,W,Δ		8,Δ		
Trooper	12,B	11,B		12,B		15,D,B	14,D,B	12,D,B		13,D,B		
JEEP												
Cherokee	4		4	Use Special Sunroofs Only								
Grand Cherokee				Use Special Sunroofs Only					4			console
Wrangler	6	6		6		6	6	6	6	6	ribs, fiberglass	
KIA												
Sephia				8		13,D,B	11,D,B	9,D,B		10,D,B		
Sportage				9		14,D,B	12,D,B	10,D,B		11,D,B		
LAND ROVER												
Discovery	19	19	19	19	19	19	19	19		19		
LEXUS All Inspected Vehicles Have Factory Installed Sunroofs												
LINCOLN												
Continental	14,B	14,B	14,B	14,B		14,B	14,B	14,B		14,B	console	
Mark VIII		11,D,B		11,D,B		11,D,B	11,D,B	11,D,B		11,D,B		
Town Car	12,B	12,B	12,B	12,B	12,B	12,B	12,B	12,B	12,B	12,B		
MAZDA												
626	10	10	9	10		10	9	13,D,B		13,D,B		
Millenia	10	10		10		10,B	10,B	11,B		12,B		
MPV Van	10	10	10	10	10	10	10,B	10,B		10,B	flatten ribs	
MX-5 Miata		8		8							optional fiberglass hardtop	
MX-6	11,B	11,B		11,B		11,B	11,B	11,B		12,B		
Pickup Extended Cab	10,B	10,B	14,D,B	10,B	10,B	10,B	13,D,B	11,D,B	10,B,Δ	12,D,B		
Pickup Standard Cab	10	10		10	10	10						
Protege	10	10		10		13,D,B	12,D,B	10,D,B		12,D,B		
MERCEDES BENZ All Inspected Vehicles Have Factory Installed Sunroofs												
MERCURY												
Cougar		10,D,B		10,D,B		10,D,B	10,D,B	10,D,B		10,D,B		
Grand Marquis	9,B		13,D,B		14,D,B	13,D,B	12,D,B	10,D,B		10,D,B		
Mountaineer	10	10		10		10	10	10		10	ribs, console	
Mystique		10,B		8,B		10,B	10,B	10,B		10,B		
Sable		9		10		12,D,B	10,D,B	10,D,B		12,D,B		
Sable Wagon		10		10		9,D,B						
Tracer		8		8		12,D,B	11,D,B	10,D,B		10,D,B		
Tracer Wagon				8								
Villager	11,B	11,B	11,B	11,B	11,B	11,B	11,B	11,B		12,B		
MITSUBISHI												
3000 GT		10		10		10	10	Δ		Δ	hardtop only	
Diamante				10		10	10	10		12		
Eclipse	11	11		11		11	11	11		11		
Galant		10		10		10		11,D,B		11,D,B		
Mirage 2 Dr		8		8		8	8	12,D,B		12,D,B		
Mirage 4 Dr		9		9		9	13,D,B	12,D,B		12,D,B		
Montero	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	13,D,B	8.5		
Montero Sport	10,B	10,B	10,B	10,B	10,B	10,B	10,B	10,B				
NISSAN												
200SX		9,B		10,B		13,D,B	12,D,B	10,D,B		10,D,B		
240SX		12,D,B		12,D,B		10,D,B	10,D,B	11,D,B		11,D,B		
Altima		10,D,B		10,D,B		10,D,B	10,D,B	10,D,B		11,D,B		
Maxima	14,D,B	13,D,B		14,D,B		11,D,B	10D,B	10,D,B		11,D,B		
Pathfinder	15,B	15,B		15,B		15,B						
Pickup Extended Cab	9	9	9	9	9	9	9	9		9		
Pickup Standard Cab	9	9	9	9	9	9	9	7.5		7.5		
Quest	11,B	11,B	11,B	11,B	11,B	11,B	11,B	11,B		12,B		
Sentra	9,B	9,B		9,B		13,D,B	12,D,B	10,D,B		10,D,B		
OLDSMOBILE												
88, LSS	15,B	15,B	15,B	15,B	15,B	15,B	15,B	15,B		15,B	console	

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.											
1997	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
OLDSMOBILE (Continued)											
Achieva							13,B,F				
Aurora						12,B	12,B	12,B		12,B	
Bravada	9	9	9	9	9	9	9	8,W,Δ		8,Δ	console
Cutlass	14,D,B	13,D,B		14,D,B		12,D,B	11,D,B	9,D,B		10,D,B	
Cutlass Supreme	10,B	10,B	10,B	10,B		10,B	10,B	10,B		10,B	
Regency	12,B	12,B	12,B	12,B	12,B	12,B	12,B	12,B		12,B	console
Silhouette								11,B		11,B	console
PLYMOUTH											
Breeze	9	9		9		13,D,B	12,D,B	10,D,B		11,D,B	
Neon		9.5,D		9.5,D		9.5,D,B	9.5,D,B	9.5,D,B		9.5,D,B	
Voyager	10,B	10,B		10,B	10,B	10,B	10,B	10,B		10,B	console
PONTIAC											
Bonneville	15,B	15,B	15,B	15,B	15,B	15,B	15,B	15,B		15,B	console
Firebird / Trans Am	No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!										
Grand Am							13,B,F				wide side rails
Grand Prix		11,B		11,B		11,B	11,B	11,B		11,B	console
Sunfire 2 Dr		9,D				9,D	9,D	9,D		10,B	console
Sunfire 4 Dr							10,D				console, wide side rails
Trans Sport								11,B		11,B	console
SAAB											
900		11		11		11	11,F	11		11	
9000							11	11			
SATURN											
SC1/SC2 Coupe		12,D		13,D		11,D	11,D	11,D		12,D	
SL/SL1/SL2 Sedan		12		12		14,D,B	13,D,B	13,D,B		13,D,B	
SW1/SW2 Wagon				10							
SUBARU											
Impreza		9		9		9	11,D,B	9,D,B		10,D,B	
Impreza Sport Wagon				7							roof rack
Legacy		11		11		13,D,B	12,D,B	11,D,B		12,D,B	
Legacy Outback Wagon	No Sunroof Recommended Due to Multi-level Roof										
Legacy Wagon	11	11		11							
SVX	All Inspected Vehicles Have Factory Installed Sunroofs										console
SUZUKI											
Esteem		9		9		9	8	13,D		13,D	
Sidekick		10		10		10		12,D,B		12,D,B	ribbed roof
Swift		9		9	9	9	9	9		Δ	
TOYOTA											
4-Runner	8.5	8.5		8.5	8.5	8.5	8.5	8.5		8.5	
Avalon		9		9		9	9	9		9	
Camry	11,B	10,B		11,B		12,D,B	11,D,B	10,D,B		12,D,B	
Celica		10,B		10,B		10,B	10,B	10,B		10,B	
Corolla		10		10		9	12,D,B	10,D,B		11,D,B	
Land Cruiser	All Inspected Vehicles Have Factory Installed Sunroofs										
Paseo		9		9		9	9	9		9	
Previa		10,B		10,B	10,B	10,B					
RAV4 2 Dr	9	9		9		9	9	9			
RAV4 4 Dr	10	10		10		10	10	10		11	
Supra	9	9		9		9	9	9,Δ		9,Δ	
T100 Extended Cab	9	9	9	9	9	9	9	9	8	9	
T100 Standard Cab	9	9	9	9	9	9	9	7	5.5,W	7	
Tacoma Extended Cab	9	9	9	9	9	9	8	7	7	7	
Tacoma Standard Cab	9	9	8	9	9	9	8				
Tercel	9	9		9		9	9	9	11,D,B	12,D,B	
VOLKSWAGEN											
Golf & GTI		11,B		11,B		11,B	11,B	11,B		11,B	
Jetta		11,B		11,B		11,B	11,B	11,B		11,B	
Passat		12		12		12,D,B	12,D,B	12,D,B			
Passat Wagon		12		12		12,D,B	12,D,B				
VOLVO											
850 & Wagon	9	8		8	8						
960 & Wagon	All Inspected Vehicles Have Factory Installed Sunroofs										